

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PUBLIC Services - Departmental proceedings against Sri K.Vijaya Rama Raju formerly Superintending Engineer, Irrigation Circle, Dowlaiswaram now retired - Sanction under Rule 9 of Revised Pension Rules, 1980 - Issued.

IRRIGATION & CAD (SER.IV.1) DEPARTMENT

G.O.Ms.No 153

Dt:06.09.2008

ORDER:

Whereas it has been made to appear that Sri K.Vijaya Rama Raju, Superintending Engineer (Retd) while serving as Superintending Engineer, Dowlaiswaram from 05.05.2006 to 31.08.2006 has committed dereliction of duties amounting to misconduct in violation Rule 3 of APCS (Conduct) Rules 1964.

2. Now, therefore, sanction is accorded under sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of the Revised Pension Rules, 1980 to Sri K.Vijaya Rama Raju formerly Superintending Engineer, Irrigation Circle, Dowlaiswaram now retired.

3. It is further directed that the said departmental proceedings shall be conducted in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 by Government.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRL.SECRETARY TO GOVERNMENT

To
Sri K.Vijaya Rama Raju formerly Superintending Engineer, Irrigation Circle, Dowlaiswaram now retired through Engineer-in-Chief (AW), Irrigation & C.A.D. Department, Hyderabad.

Copy to Engineer-in-Chief (AW) Irrigation & C.A.D. Department, Hyderabad with a request to serve the charges to the retired officer and send the dated acknowledgement immediately.

SF/SC.

// FORWARDED BY ORDER //

SECTION OFFICER